

Derby City Council – Response
ID Reference FOI723804873
Date 14/08/2025

Information Requested	Response
<p>We are continually seeking to update this database with details of new or amended bridge height restrictions.</p> <p>1. Please provide details of all bridge height restrictions within your local authority area.</p> <p>-Please include details of bridge locations (map co-ordinates), the clearance height measurement (both imperial and metric), and whether the signage is for a mandatory or advisory height restriction.</p> <p>-Please also add the date from which each height was measured/recorded.</p> <p>-Please include any bridge height information you hold, no matter how recently it has been surveyed.</p>	<p>Please see the attached spreadsheet response.</p>

Please note, the following applies, if the response includes council officers (or other officers) names.

If you are a company that intends to use the names and contact details of council officers (or other officers) provided for direct marketing, you need to be registered with the Information Commissioner to process personal data for this purpose. You must also check that the individual (whom you wish to contact for direct marketing purposes) is not registered with one of the Preference Services to prevent Direct Marketing. If they are you must adhere to this preference. You must also ensure you



comply with the Privacy Electronic and Communications Regulations (PECR). For more information follow this Link www.ico.org.uk

For the avoidance of doubt the provision of council (and other) officer names and contact details under FOI does not give consent to receive direct marketing via any media and expressly does not constitute a 'soft opt-in' under PECR.

